


Shanghai Anping Static Technology Co.,Ltd

New Product

Intelligent Control Ionizing Air Blower





Suitable for electronics, optoelectronics, semiconductor and other industries

Effectively solve the problems caused by static electricity













Network Monitoring

Multiple networking methods to monitor the working status of ionizing air blower online





Intelligent Remote Control

Cleaning time /Air volume output adjustable







Cleaning time setting


Set a reminder for the cleaning time at will. Blue light flashes indicates cleaning is required. The electrode needle cleaning cycle should be set according to the working environment when using the ionizing air blower. Cleaning cycle should be shorten appropriately in environment with more moisture and dust.


Air volume output adjustable

Fan speed in five gears. Adjust the air volume according to the installation distance of the static eliminator and the status of the target object.

Ion balance adjustable

The ion balance voltage can be adjusted by adjusting the negative high voltage amplitude remotely.





| Button Function instructions | | | |
|--|---------------------------|--|--|
| Function | Symbol | Operation instructions | |
| Unlock | 6 | Unlock before adjusting operating parameters; 30s delay if any key is pressed, exit and re-locked if no key is pressed. | |
| Run / Pause | | Device starts running when power is on. Press "STOP" to standby and no high voltage output. Press "RUN" again and the device will start working. | |
| Clean | (¢) | Press the button to clean the needle once. | |
| Adjust clean time | $CT_{TH} \rightarrow +/-$ | Press CT_{TH} first, and then press +/- to increase or decrease the cleaning cycle. Minimum adjustment unit 1H. | |
| Adjust air volume | CFM → +/- | Press CFM first, then press +/-,air volume from high to low is 1,2,3,4,5. | |
| Adjust ion balance | $IB_N \rightarrow +/-$ | +/- Press IB _N first, then press +/- to adjust the ion balance voltage. | |
| Confirm | $CAL \!\to\! OK$ | Note: Press CAL first, then press OK to confirm after adjusting the output parameter; otherwise, false alarms are likely to occur. | |
| Reset | CAL → (\$) | Reset ($150Hz$, 50% , $4H$): Press CAL first, then press $\fbox{\diamondsuit}$ | |
| Press IB _N first, then press + when the positive voltage on flat panel charge detector or object surface is high, press IB _N first, then press - when the negative voltage on flat panel charge detector or object surface is high until the ion balance reaches the ideal status. | | | |


Pulse DC


Discharge effect is better compare to frequency AC ionizing air blower

Pulse DC VS Traditional AC

Pulse DC method generate ions with two polarity by applying "+" and "-" high voltage alternately on positive and negative electrode needles.


Compared with power frequency AC method, the utilization rate of ion generation is higher. And its static elimination ability can be exerted no matter in short or long distance. In addition, the high voltage amplitude can be adjusted, which is convenient for intelligent control.







High Efficiency Static Removal

Keep a clean production environment and stay away from static electricity







Features

Safe / Easy to use / Durable





Intelligent remote control


Ion output characteristics can be adjusted by remote control.



8 Electrode needles

Multiple air outlets, 8 tungsten electrode needles per air outlet with longer life time.







Built-in cleaning brush

Automatic needle brushing function when start up. By default, the needle is automatically brushed every 4 hours for manual cleaning and maintenance free.



High voltage alarm

Display screen show fault alarm and LED red light alarm when the fan and high voltage breakdown.



Features

Safe / Easy to use / Durable





LED display

LED display shows the equipment address (e.g.A00), wind speed gear (e.g.S1), cleaning cycle (e.g.T04), temperature and humidity, cleaning indication (Cleaning), fan fault alarm (Fan Fault!!) and HV fault alarm (HV Fault!!)



High air volume fan five speed adjustment

Stable performance and air volume output 1.45 times higher than ordinary fans.








CE certification

CE certified with electromagnetic protection function and no electromagnetic interference to other equipment. It can also effectively avoid external electromagnetic interference affecting the normal operation of the air blower which is a high-security and high-reliability static eliminator.



Network Monitoring


Wired network communication realisable and monitor the working status of the air blower.



Product Use

Panel functions/specification/dimensions

Panel functions







Temperature and humidity Unlock / Lock (The temperature and humidity sensor is located inside the product)











Green light always on: normal

Blue light always on: pause/standby Blue light flashes: cleaning indication Red light always on: fan fault alarm Red light flashes: high voltage fault alarm


| Power interface cable function information | | | | |
|--|------------------------|---|--|---|
| 1、2 | Orange White-orange | VCC: +24VDC | | |
| 3 | Blue | RS485+B | | |
| 4 | White-blue | RS485+A | | |
| 5 | Green | GND | The output wiring diagrams of pins | 7 and 8 are as follows: |
| 6 | White-green | GND | vcc T | vcc T |
| 7 | Brown | V_{TH} : Sensor threshold alarm HV_{AL} : Eliminator high voltage alarm | DC24V or less 100mA or less | DC24V or less 100mA or less |
| 8 | White-brown | ACT: Sensor/eliminator power-on indication Clean: Eliminator cleaning indication | GND | MCU F GND |
| 9 | Metal shield | PE | HV Alarm signal:Normal-always open Abnormal-always close | Power signal :Normalalways close cleaning signal:Cleanalways open |


Specification

| Model | AP-DJ1811 | |
|--------------------------|--|--|
| Input voltage | DC 24V (RJ45 Interface) | |
| Output voltage | DC±4KV → ±6KV | |
| Power | 12W | |
| Ion emission | Pulse DC | |
| Emitter electrode | Tungsten alloy | |
| Discharge range | 750*300mm(L*W) | |
| Air volume | ≤ 135CFM*1 | |
| Noise | Single air outlet≤ 58dBA (1000mm away from the air outlet) | |
| Ozone thickness | ≤ 0.05 ppm (150mm away from the air outlet) | |
| Ion balance | ≤ ±10V | |
| Discharge speed | \leq 1.5S (300mm away from the air outlet) | |
| | Power on/clean operation—blue light flashes; | |
| | Normal work—green light (always under monitoring status); | |
| Status indicator | Fan fault alarm—red light always on; | |
| | High voltage fault alarm-red light flashes; | |
| | Infrared debugging/cleaning prompt-blue light flashing | |
| Communication method | RS485 | |
| Signal output | RS485 (115200bps,8,1,n,n) ≥ 20ms | |
| Signal output | Collector open circuit: < 50V,100mA | |
| Working temperature | 0°C -50°C | |
| Working humidity | < 70%RH | |
| Dimensions | 147*70.5*190mmmm (L*W*H) Ionizing Air Blower body size) | |
| Shell material | Aluminum powder spraying | |
| Installation accessories | 1 pair of U-shaped iron powder spraying mounting brackets, 1 pair of bakelite screw handles (M5×8) | |
| Power adapter | INPUT: AC100—240V 50/60Hz; | |
| | OUTPUT: DC24V 2A (dual RJ45 Interface) | |
| Weight | 1.35KG (Including power cord and bracket) | |
| Warranty | 1Year | |
| Certification | CE | |

Dimensions

Unit: mm





Products Use


Installation steps/technical tips/Installation accessories

Installation steps


- 1. Install the ionizing air blower and the matching power adapter firmly in the best discharge position.
- 2. Insert the power network cable into the adapter and the ionizing air blower RJ45 network port, and insert the national standard power cable of the adapter into the row socket.
- 3. Touch the power switch on the front panel of ionizing air blower. It will automatically brush the needle after starting and the fan works normally when the indicator light is green.

Technical tips

- 1. Place the ionizing air blower in the work area where static electricity is to be eliminated and the installation angle is perpendicular to the surface of the charged body.
- 2. Ionizing air blower should be at least 300mm away from the metal conductor and metal grounding body. The ionizing air blower must be reliably connected to the ground wire.
- 3. Two ionizing air blowers should be installed side by side with an interval of more than 400mm and more than 200mm away from obstacles such as walls.



4. The air inlet is at least 150mm away from the wall.



Packing accessories

| Part name | Picture | Part No. | Specification | Q'TY |
|------------------------------|---------|-----------|---|------|
| Power adapter | | OSP000601 | GRT-240200: DC24V 2A, Dual-port output, size: 123*61*40.5mm (L*W*H) | 1 |
| National standard power cord | Ŷ | 8YXG25110 | Standard 1.8m, Optional 3m/5m | 1 |
| Power cable | | 8WXI00004 | Standard 2.5m, Optional 5m/10m | 1 |
| Remote control | | AP2253011 | IR remote control, 84×38mm | 1 |

▲ Safety warning

- 1. Please read the instruction manual carefully before installing and using this equipment.
- 2. The whole set of equipment must be reliably grounded during use, and the connection resistance of the electrical connection to the AC equipment ground should be less than 1 ohm.
- 3. Do not use this equipment in environment where humidity is > 70%...
- 4. It is strictly forbidden to use this equipment in flammable and explosive environments.
- 5. Unauthorized disassembly of the product is strictly prohibited, internal maintenance and repair must be performed by professionals.
- 6. The product is strictly prohibited to touch liquid during use, otherwise an abnormality may occur and cause electric shock or fire.
- 7. Power must be turned off during inspecting or replacing the product, otherwise it may cause electric shock or fire.
- 8. The product is specially designed to eliminate static electricity. It is strictly forbidden to use it for other purposes. Any abnormal use may cause machine failure, electric shock, fire and other accidents.
- It is strictly forbidden to touch the electrode needles when power is on, otherwise it is easy to cause malfunctions and electric shock accidents.
- 10. The electrode needle is a sharp metal object, please use it with care.
- 11. Please check the specifications of the power supply before powering on the product. Any power supply that does not meet the specifications will cause damage to the product.
- 12. Please check the product power cord/communication cord regularly, and replace it immediately if it is damaged, otherwise it is easy to cause problems such as electric leakage, poor communication, and abnormal operation.

| A 70- | blb4i | | |
|-------|--|--|---|
| A Ir | ouble shooting | | |
| | | | |
| No. | Faults | Reasons | Solutions |
| 1 | The indicator on the fan panel is off | Poor contact of the power cable | Check whether the power cable is in good condition and securely connected |
| | | Power supply mismatch | Confirm the power supply specification (INPUT: 100—240VAC 50/60Hz; OUTPUT: 24VDC 2000mA) |
| | The electrostatic removal performance decreased obviously. | Discharge needle is polluted and damaged | Clean or replace the discharge needle |
| 2 | | The cleaning brush covers the electrode needle | Brush the needle manually with the remote control, or shut down and restart to keep the cleaning brush away from the electrode needle |
| | | Ionizing air blower is set incorrectly | Confirm the best installation location |
| 3 | The electrostatic removal performance decreased | There are conductors or other ionizing air blower around | Remove (moving) conductors or other ionizing air blowers |
| | | Electromagnetic interference | Turn off the power switch / unplug the power cable, restart the ionizing air blower |
| 4 | High voltage alarm (Panel indicator light flashes red) | Abnormal discharge | Confirm whether the electrode needle is close to or touching the metal conductor, and remove foreign objects |
| | | No power supply for high voltage module | Return to factory for maintenance |
| | | High voltage module is damaged | Return to factory for maintenance |
| 5 | Fan alarm (Panel indicator red | Fan fault | Return to factory for maintenance |
| 5 | light always on) | The fan power supply or control circuit is damaged | Return to factory for maintenance |
| | Unable to discharge | High voltage module is damaged | Return to factory for maintenance |
| 6 | | Main-board chip is damaged | Return to factory for maintenance |
| | | Poor grounding / chip damage caused by no grounding | Check the grounding of the ionizing air blower and plant equipment, and return to the factory for maintenance |
| 7 | The display is off or flickering | Abnormal discharge | Return to factory for maintenance |
| | | High voltage module is damaged | Return to factory for maintenance |
| | | Poor grounding or wrong product power supply line | Check the grounding of the ionizing air blower and plant equipment, and return to the factory for maintenance |
| 8 | The product is smoky or burnt | The high-voltage module is damaged or the insulation of the discharge bracket is damaged | Return to factory for maintenance |

▲ Maintenance

- 1. In order to ensure the good performance of the product, the fan should be cleaned and maintained in time according to the use environment and the required electrostatic protection requirements, that is, using electrostatic brush, dust-free cotton swab, dust-free cloth dipped in anhydrous alcohol to gently remove the dust on the electrode, discharge bracket, fan and metal mesh cover. Note:
 - A. Operation must be done 10 minutes after power cut off.
 - B. The cleaning cycle of the electrode needle should be set according to the working environment during use of the fan. It should be appropriately reduced in the environment with more humid and dusty.
 - C. The fan must be powered on after alcohol is completely volatilized after cleaning. No other organic solvent can be used to clean the fan.
 - D. The alloy electrode is a consumable product which is not included in the scope of warranty and will be charged for replacement when repairing.
- 2. Do not press or rotate the control buttons on the fan panel too hard; otherwise, the device will be permanently damaged.
- 3. If the working indicator light on the front panel of the fan is off or red, it should be stopped and repaired by professional maintenance personnel. It can be used only after the electrical performance index is normal.

↑ After-sales service

AP-DJ1811 ionizing air blower has undergone rigorous testing and aging treatment before ex-work. Its performance has completely reached the relevant indicators marked in the usage instruction.

AP&T makes a commitment to the customer that any defective parts inspected by AP&T will be repaired or replaced free of charge within one year from the date of purchase. However, this commitment does not apply to:

- 1. The device is incorrectly used or installed.
- 2. Damage caused by negligence or accident during use;
- 3. Modified, disassembled or repaired by other service departments not authorized by Anping Company.

AP&T shall not be liable for any incorrect use of the products except for repair or replacement of parts as specified above.



AP&T

Professional electrostatic intelligent monitoring/analysis and elimination solution provider

Speciality Creates Value

Shanghai Anping Static Technology Co.,Ltd

Tel: +86-21-64517676 Fax: +86-21-64517673 Postcode: 200233

Website: www.ap-static.com

Address: 3/F,Building 27,No.69,Guiqing Road,Shanghai,China

